

# MEASLES-RUBELLA



World Health Organization


Western Pacific Region

Volume 20 • Issue 2 • April 2026

ISSN 1814 3601

*Bulletin*

**Figure 1. Incidence rate of measles cases with rash onset, January–March 2026, WHO Western Pacific Region**



Source: National measles and rubella monthly reports to the Western Pacific Regional Office by 20 April 2026

**Table 1. Status of measles elimination and numbers of confirmed<sup>1</sup> and total<sup>2</sup> measles cases by month of rash onset, January–March 2026, WHO Western Pacific Region**

Country/area <sup>3</sup>	Year elimination verified	January 2026		February 2026		March 2026		Cumulative total for 2026 <sup>4</sup>	
		No. of confirmed <sup>1</sup>	Total no. of cases <sup>2</sup>	No. of confirmed <sup>1</sup>	Total no. of cases <sup>2</sup>	No. of confirmed <sup>1</sup>	Total no. of cases <sup>2</sup>	No. of confirmed <sup>1</sup>	Total no. of cases <sup>2</sup>
Australia <sup>5</sup>	2014	25	25	34	34	30	30	89	89
Brunei Darussalam	2015	0	0	0	0	0	0	0	0
China, Hong Kong SAR	2016	0	0	1	1	0	0	1	1
China, Macao SAR	2014	0	0	0	0	0	0	0	0
Japan	2015	27	27	65	65	110	110	202	202
New Zealand	2017	1	1	2	2	0	0	3	3
Republic of Korea	2014	0	0	3	3	2	2	5	5
Singapore	2018	10	11	4	6	11	11	25	28
Pacific island countries and areas	2025	0	0	0	0	0	0	0	0
Cambodia <sup>6</sup>	-	76	76	59	59	5	5	140	140
China	-	133	135	97	103	78	88	337	349
Indonesia	-	-	-	-	-	-	-	-	-
Lao People's Democratic Republic	-	563	563	553	553	350	350	1 485	1 485
Malaysia	-	47	60	75	78	39	41	161	179
Mongolia	-	118	118	92	92	-	-	210	210
Papua New Guinea	-	0	0	0	0	0	0	0	0
Philippines	-	197	632	155	602	13	365	365	1 599
Viet Nam	-	-	-	-	-	-	-	-	-
Western Pacific Region	-	1 197	1 648	1 140	1 598	638	1 002	3 023	4 290

<sup>1</sup> No. of confirmed cases includes laboratory confirmed and epi-linked cases

<sup>2</sup> Total no. of cases includes confirmed cases and clinically compatible cases

<sup>3</sup> Within this bulletin, countries are grouped by measles elimination status and listed in an alphabetical order within each group (in Table 5, countries are grouped by rubella elimination status).


<sup>4</sup> May include cases with unknown month of rash onset and/or partial data for the most recent month

<sup>5</sup> Reports confirmed cases only

<sup>6</sup> Classification for 2026 remains provisional and is based solely on laboratory data available to VDI/WPRO.

Source: National measles and rubella monthly reports to the Western Pacific Regional Office by 20 April 2026

**Figure 2. Total (confirmed and compatible) measles cases by month of rash onset, WHO Western Pacific Region, 2021–2026**



Source: National measles and rubella monthly reports to the Western Pacific Regional Office by 20 April 2026

<sup>1</sup>Indonesia was incorporated into the Western Pacific Region reporting framework in 2025. Data from earlier years are not included in this bulletin.

**Table 2. Number of confirmed measles cases by source of infection, WHO Western Pacific Region, 2025–2026**

Country/Area	2025						2026					
	No. of confirmed cases	Source of infection				% of cases with known source of infection	No. of confirmed cases	Source of infection				% of cases with known source of infection
		Imported	Import-related	Endemic	Unknown/not reported			Imported	Import-related	Endemic	Unknown/not reported	
Australia	181	83	58	0	40	77.9%	89	44	32	0	13	85.4%
Brunei Darussalam	0	-	-	-	-	-	0	-	-	-	-	-
China, Hong Kong SAR	10	4	0	0	6	40.0%	1	0	0	0	1	0.0%
China, Macao SAR	0	-	-	-	-	-	0	-	-	-	-	-
Japan	265	89	93	0	83	68.7%	202	44	79	0	79	60.9%
New Zealand	53	5	9	0	39	26.4%	3	0	0	0	3	0.0%
Republic of Korea	78	55	23	0	0	100.0%	5	3	2	0	0	100.0%
Singapore	28	19	3	0	6	78.6%	25	8	0	0	17	32.0%
Pacific island countries and areas	0	-	-	-	-	-	0	-	-	-	-	-
Cambodia <sup>1</sup>	1 286	0	0	0	1 286	0.0%	140	0	0	0	140	0.0%
China	1 743	0	0	0	1 743	0.0%	337	0	0	0	337	0.0%
Indonesia	17 204	0	0	0	17 204	0.0%	-	-	-	-	-	-
Lao People's Democratic Republic	3 849	0	0	0	3 849	0.0%	1 485	0	0	0	1 485	0.0%
Malaysia	684	10	0	524	150	78.1%	161	16	0	136	9	94.4%
Mongolia	13 438	0	0	0	13 438	0.0%	210	0	0	0	210	0.0%
Papua New Guinea	0	-	-	-	-	-	0	-	-	-	-	-
Philippines	1 458	1	0	301	1 156	20.7%	365	0	0	76	289	20.8%
Viet Nam	144	0	0	0	144	0.0%	-	-	-	-	-	-
Western Pacific Region	40 421	266	186	825	39 144	3.2%	3 023	115	113	212	2 583	14.6%

<sup>1</sup> Classification for 2026 remains provisional and is based solely on laboratory data available to VDI/WPRO.

Source: National measles and rubella monthly reports to the Western Pacific Regional Office by 20 April 2026

Blue	No measles cases
Green	≥80%
Yellow	60–79%
Red	<60%

**Table 3. Measles case classification and incidence by country and area, WHO Western Pacific Region, 2022–2026**

Country/area	2022		2023		2024		2025		2026										
	Total confirmed and clinically compatible <sup>1</sup>	Measles incidence per 1 million pop	Total confirmed and clinically compatible <sup>1</sup>	Measles incidence per 1 million pop	Total confirmed and clinically compatible <sup>1</sup>	Measles incidence per 1 million pop	Total confirmed and clinically compatible <sup>1</sup>	Measles incidence per 1 million pop	Population (in millions) <sup>2</sup>	Suspected measles cases	Pending classification	Discarded cases <sup>3</sup>	Measles cases					Deaths due to measles	Rash onset of last confirmed measles case
													Clinically compatible	Lab	Epi-linked	Total confirmed and clinically compatible <sup>1</sup>	Annualized measles incidence per 1 million pop		
Australia <sup>3</sup>	7	0.3	26	1.0	57	2.1	181	6.7	27.2	NA <sup>3</sup>	0	0	0	89	0	89	13.1	0	30-Mar-26
Brunei Darussalam	0	0.0	1	2.2	0	0.0	0	0.0	0.5	7	0	7	0	0	0	0	0.0	0	28-Dec-23
China, Hong Kong SAR	3	0.4	4	0.5	9	1.2	10	1.3	7.4	1	0	0	0	1	0	1	0.5	0	28-Feb-26
China, Macao SAR	0	0.0	0	0.0	0	0.0	0	0.0	0.7	7	0	7	0	0	0	0	0.0	0	6-May-19
Japan	5	0.0	28	0.2	42	0.3	265	2.1	122.4	802	40	560	0	202	0	202	6.6	0	30-Mar-26
New Zealand	0	0.0	14	2.7	1	0.2	54	10.8	5.3	165	1	161	0	3	0	3	2.3	0	22-Feb-26
Republic of Korea	1	0.0	7	0.1	49	1.0	78	1.5	51.6	112	0	107	0	5	0	5	0.4	0	30-Mar-26
Singapore	6	1.0	11	1.8	12	2.0	28	4.6	5.9	98	0	70	3	25	0	28	19.0	0	29-Mar-26
Pacific island countries and areas	0	0.0	0	0.0	0	0.0	0	0.0	3.7	35	0	35	0	0	0	0	0.0	0	5-Mar-20
Cambodia <sup>4</sup>	13	0.8	11	0.7	666	37.8	4 613	259.1	18.1	607	467	0	0	140	0	140	31.0	0	30-Dec-25
China	562	0.4	648	0.5	1 272	0.9	1 770	1.2	1 412.9	5 076	555	4 172	12	337	0	349	1.0	0	31-Mar-26
Indonesia	-	-	-	-	-	-	17 204	60.2	287.9	-	-	-	-	-	-	-	-	-	29-Nov-25
Lao People's Democratic Republic	0	0.0	2	0.3	1	0.1	3 849	495.1	8.0	1 736	142	109	0	125	1 360	1 485	744.9	4	3-Apr-26
Malaysia	209	6.2	2 002	58.7	3 753	110.5	901	26.2	36.4	1 427	126	1 122	18	146	15	179	19.7	0	24-Mar-26
Mongolia	0	0.0	0	0.0	12	3.5	13 438	3 824.2	3.6	473	263	0	0	94	116	210	236.2	1	23-Feb-26
Papua New Guinea	0	0.0	12	1.2	0	0.0	0	0.0	10.9	18	0	18	0	0	0	0	0.0	0	30-Jun-23
Philippines	589	5.1	2 887	24.8	4 003	34.7	5 039	43.1	117.7	2 003	0	404	1 234	352	13	1 599	54.3	1	7-Mar-26
Viet Nam	27	0.3	103	1.0	2 109	21.0	151	1.5	102.2	-	-	-	-	-	-	0	-	-	7-Feb-25
Western Pacific Region	1 422	0.7	5 756	3.0	11 986	6.1	47 581	21.0	2 222.3	12 567	1 594	6 772	1 267	1 519	1 504	4 290	7.7	6	

<sup>1</sup> Includes clinically compatible, laboratory confirmed and epi-linked cases

<sup>2</sup> United Nations, Department of Economic and Social Affairs, Population Division World Population Prospects 2024 revision

<sup>3</sup> Australia reports confirmed cases only

<sup>4</sup> Classification for 2026 remains provisional and is based solely on laboratory data available to VDI/WPRO.

Source: National measles and rubella monthly reports to the Western Pacific Regional Office by 20 April 2026

Green	<1.0 confirmed measles cases / 1 000 000 population
Yellow	1.0–9.9 confirmed measles cases / 1 000 000 population
Red	10.0–19.9 confirmed measles cases / 1 000 000 population
Dark red	>= 20.0 confirmed measles cases / 1 000 000 population

**Table 4. Measles surveillance performance indicators by country and area, WHO Western Pacific Region, 2025–2026**

Country/Area	2025				2026			
	Discarded non-measles rate per 100 000 pop	Second level units with ≥ 2 discarded cases per 100 000 pop [annualized] <sup>1</sup>	Suspected cases with adequate investigation	Suspected cases with adequate specimens for laboratory confirmation <sup>2</sup>	Annualized discarded non-measles rate per 100 000 pop	Second level units with ≥ 2 discarded cases per 100 000 pop [annualized] <sup>1</sup>	Suspected cases with adequate investigation	Suspected cases with adequate specimens for laboratory confirmation <sup>2</sup>
	≥ 2	≥ 80%	≥ 80%	≥ 80%	≥ 2	≥ 80%	≥ 80%	≥ 80%
Australia <sup>3</sup>	Insufficient data	Insufficient data	Insufficient data	Insufficient data	Insufficient data	Insufficient data	Insufficient data	Insufficient data
Brunei Darussalam	6.6	Not applicable	93.3%	100.0%	6.0	Not applicable	100.0%	100.0%
China, Hong Kong SAR	0.1	Not applicable	100.0%	100.0%	0.0	Not applicable	100.0%	100.0%
China, Macao SAR	2.6	Not applicable	100.0%	100.0%	3.9	Not applicable	100.0%	100.0%
Japan	1.2	8.5%	Insufficient data	Insufficient data	1.8	17.0%	Insufficient data	Insufficient data
New Zealand	19.5	100.0%	Insufficient data	Insufficient data	12.2	80.0%	Insufficient data	Insufficient data
Republic of Korea	1.9	29.4%	99.3%	95.8%	0.8	5.9%	100.0%	95.5%
Singapore	0.4	Not applicable	94.1%	90.2%	4.7	Not applicable	95.9%	84.7%
Pacific island countries and areas <sup>4</sup>	4.9	5.0%	96.0%	95.5%	3.8	5.0%	97.1%	94.3%
Cambodia	31.6	100.0%	99.0%	98.0%	0.0	0.0%	99.0%	98.0%
China	2.5	96.8%	99.5%	98.8%	1.2	9.7%	98.4%	95.6%
Indonesia	12.5	81.6%	Insufficient data	43.4%	–	–	–	–
Lao People's Democratic Republic	9.1	27.8%	7.4%	11.3%	5.5	22.2%	0.3%	2.9%
Malaysia	23.5	100.0%	92.5%	99.4%	12.3	86.7%	85.0%	98.2%
Mongolia	2.5	13.6%	9.4%	9.4%	0.0	0.0%	49.0%	49.0%
Papua New Guinea	0.2	0.0%	17.6%	70.6%	0.7	10.0%	0.0%	0.0%
Philippines	2.4	50.0%	54.8%	59.1%	1.4	27.8%	63.7%	66.3%
Viet Nam	0.0	1.6%	6.1%	49.7%	–	–	–	–
Western Pacific Region	4.1	44.3%	34.6%	49.2%	1.2	15.6%	76.8%	77.6%

<sup>1</sup> This indicator is not applicable for countries which have no second-level administrative units

<sup>2</sup> Adequate specimen defined as blood specimen collected within 28 days of rash onset or other specimen (throat swab, nasopharyngeal swab, cerebrospinal fluid, urine) collected within 5 days of rash onset; excludes epidemiologically-linked cases

<sup>3</sup> Reports only confirmed cases

<sup>4</sup> Surveillance performance indicators refer to all the Pacific island countries and areas as one epidemiological bloc; each country is considered as second level unit

Source: National measles and rubella monthly reports to the Western Pacific Regional Office by 20 April 2026

Green	Reached or surpassed target
Yellow	Nearly reached target: 1.0–1.9 for non-measles suspected case rate; 60.0–79.9% for other indicators
Red	Substantially below target

**Table 5. Status of rubella elimination and rubella case classification and incidence by country and area, WHO Western Pacific Region, 2022–2026**

Country/area	Year elimination verified	2022		2023		2024		2025		2026								
		Total confirmed and clinically compatible <sup>1</sup>	Rubella incidence per 1 million pop	Total confirmed and clinically compatible <sup>1</sup>	Rubella incidence per 1 million pop	Total confirmed and clinically compatible <sup>1</sup>	Rubella incidence per 1 million pop	Total confirmed and clinically compatible <sup>1</sup>	Rubella incidence per 1 million pop	Population (in millions) <sup>2</sup>	Investigated for rubella	Pending classification	Discarded cases <sup>3</sup>	Rubella cases				
														Clinically compatible	Lab	Epi-linked	Total confirmed and clinically compatible <sup>1</sup>	Annualized rubella incidence per 1 million pop
Australia <sup>3</sup>	2018	-	-	-	-	-	-	-	-	27.2	0	-	-	-	-	-	-	-
Brunei Darussalam	2018	0	0.0	0	0.0	0	0.0	0	0.0	0.5	7	0	7	0	0	0	0	0.0
China, Hong Kong SAR	2021	1	0.1	1	0.1	0	0.0	1	0.1	7.4	0	-	-	-	-	-	-	-
China, Macao SAR	2018	0	0.0	0	0.0	0	0.0	0	0.0	0.7	7	0	7	0	0	0	0	0.0
Japan	2025	15	0.1	12	0.1	8	0.1	12	0.1	122.4	118	0	118	0	0	0	0	0.0
New Zealand	2017	-	-	-	-	-	-	-	-	5.3	0	-	-	-	-	-	-	-
Republic of Korea	2017	0	0.0	0	0.0	0	0.0	0	0.0	51.6	114	0	114	0	0	0	0	0.0
Singapore	2022	7	1.2	3	0.5	1	0.2	0	0.0	5.9	1	0	1	0	0	0	0	0.0
Pacific island countries and areas	2025	0	0.0	0	0.0	0	0.0	0	0.0	3.7	35	0	35	0	0	0	0	0.0
Cambodia	-	18	1.1	21	1.2	11	0.6	93	5.2	18.1	607	607	0	0	0	0	0	0.0
China	-	824	0.6	540	0.4	367	0.3	362	0.2	1 412.9	5 076	555	4 450	13	58	0	71	0.2
Indonesia	-	-	-	-	-	-	-	1 106	3.9	287.9	-	-	-	-	-	-	-	-
Lao People's Democratic Republic	-	0	0.0	1	0.1	1	0.1	22	2.8	8.0	1 714	118	1 592	0	4	0	4	2.0
Malaysia	-	89	2.6	74	2.2	84	2.5	88	2.6	36.4	1 444	126	1 305	0	13	0	13	1.4
Mongolia	-	1	0.3	1	0.3	0	0.0	0	0.0	3.6	471	263	208	0	0	0	0	0.0
Papua New Guinea	-	3	0.3	2	0.2	0	0.0	-	-	10.9	0	-	-	-	-	-	-	-
Philippines	-	55	0.5	96	0.8	54	0.5	117	1.0	117.7	2 003	0	1 975	0	27	1	28	1.0
Viet Nam	-	29	0.3	56	0.6	55	0.5	0	0.0	102.2	-	-	-	-	-	-	-	-
Western Pacific Region	-	1 042	0.5	807	0.4	626	0.3	1 801	0.8	2 222.3	11 597	1 669	9 812	13	102	1	116	0.2

<sup>1</sup> Includes clinically compatible, laboratory confirmed and epi-linked confirmed cases

<sup>2</sup> United Nations, Department of Economic and Social Affairs, Population Division World Population Prospects 2022 revision

Source: National measles and rubella monthly reports to the Western Pacific Regional Office by 20 April 2026

Green	<1.0 confirmed rubella cases / 1 000 000 population
Yellow	1.0–9.9 confirmed rubella cases / 1 000 000 population
Red	>= 10.0 confirmed rubella cases / 1 000 000 population
Gray	No data

**Table 6. Measles and rubella laboratory testing, WHO Western Pacific Region, 2026**

Country/Area	Laboratory	Measles and rubella			Measles													Rubella				
					Serology								Virus detection					No. of cases with positive laboratory results <sup>2</sup>	Serum and blood (includes DBS)			
		Total number of samples received	Total number of samples tested	Total number of cases tested	Samples tested for measles IgM	Measles IgM (+)		Measles IgM equiv		Blood		% of samples with results ≤4 days <sup>1</sup>	Measles Virus isolation/ detection (swab, urine and others)		Measles Reverse Transcription- Polymerase Chain Reaction		Samples tested for rubella IgM		Rubella IgM (+)		Rubella IgM equiv	
						No.	No.	%	No.	%	No. received		No. (+)	No. of samples tested	No. of isolates	No. of samples tested			No. (+)	No.	No.	%
		Australia	VIDRL	13	13	10	2	2	100%	0	0%	0	-	100%	0	-	11	11	10	0	-	-
Brunei Darussalam	DLS	7	7	7	7	0	0%	0	0%	0	-	-	0	-	0	-	0	7	0	0%	0	0%
China, Hong Kong SAR	PHLC	88	88	67	33	0	0%	0	0%	0	-	97%	1	1	39	2	2	22	0	0%	0	0%
China, Macao SAR	PHL	19	19	18	18	0	0%	1	6%	0	-	100%	0	-	2	0	0	18	0	0%	0	0%
Japan	NIID	1 185	1 046	683	80	38	48%	12	15%	0	-	-	5	5	596	195	200	5	0	0%	4	80%
New Zealand	CHL	43	43	42	2	0	0%	0	0%	0	-	100%	0	-	41	3	3	0	-	-	-	-
Republic of Korea	KCDC	182	182	126	51	13	25%	0	0%	0	-	100%	0	-	123	9	17	22	7	32%	0	0%
Singapore	NPHL	104	104	87	14	5	36%	1	7%	0	-	100%	30	14	104	51	37	14	0	0%	0	0%
Fiji	Fiji CDC	40	29	29	29	0	0%	0	0%	0	-	-	0	-	2	0	0	30	2	7%	0	0%
Cambodia	NIPH	372	372	372	372	140	38%	0	0%	0	0	99%	0	-	0	-	140	369	9	2%	0	0%
China	CCDC	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Indonesia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lao People's Democratic Republic	NCLE	207	207	207	207	158	76%	11	5%	-	-	-	0	-	0	-	158	207	8	4%	5	2%
Malaysia	NPHL	2 979	2 979	1 523	1 670	262	16%	53	3%	0	-	99%	1 472	51	23	7	265	1 472	51	3%	8	1%
Mongolia	NCCD	473	473	473	473	250	53%	7	1%	0	-	-	0	-	0	-	250	238	0	0%	0	0%
Papua New Guinea	CPHL	18	18	18	18	0	-	0	-	0	-	-	0	-	0	-	0	18	0	0%	0	0%
Philippines national lab	RITM	2 410	2 410	2 383	2 209	802	36%	46	2%	0	-	92%	370	0	375	166	934	1 371	66	5%	15	1%
Viet Nam national lab (Northern)	NIHE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viet Nam national lab (Southern)	PI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viet Nam subnational lab (Central)	PI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viet Nam subnational lab (Highland)	IHE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		8 140	7 990	6 045	5 185	1 670	32%	131	3%	0	0	96%	1 878	71	1 316	444	2 016	3 793	143	4%	32	1%


"-" No data

<sup>1</sup> Percent of serology samples with results ≤4 days should be ≥80%

<sup>2</sup> Summary of laboratory test results only. Numbers of confirmed measles and rubella cases are presented in Tables 1, 2, 3, and 5

Source: National measles and rubella monthly laboratory reports to the Western Pacific Regional Office by 20 April 2026

**Figure 3. Measles genotype distribution of cases with rash onset in 2025 and 2026, WHO Western Pacific Region**



**Table 7. Measles genotype distribution of cases with rash onset in January–December 2026, WHO Western Pacific Region**

Source: MeaNS and measles and rubella monthly laboratory reports to the Western Pacific Regional Office by 20 April 2026  
No rubella cases were genotyped in 2024 and 2025



**Table 8. Completeness and timeliness of reporting, WHO Western Pacific Region, 2025–2026<sup>1</sup>**


Country/area	Epidemiologic surveillance				Laboratory surveillance			
	2025		2026		2025		2026	
	Completeness <sup>2</sup>	Timeliness <sup>3</sup>	Completeness <sup>2</sup>	Timeliness <sup>3</sup>	Completeness <sup>2</sup>	Timeliness <sup>3</sup>	Completeness <sup>2</sup>	Timeliness <sup>3</sup>
Australia	100%	100%	100%	100%	100%	100%	100%	100%
Brunei Darussalam	100%	92%	100%	100%	83%	75%	100%	100%
China, Hong Kong SAR	100%	100%	100%	100%	100%	100%	100%	100%
China, Macao SAR	100%	100%	100%	100%	100%	100%	100%	100%
Japan	100%	100%	100%	100%	100%	100%	100%	100%
New Zealand	100%	100%	100%	100%	100%	100%	100%	100%
Republic of Korea	100%	100%	100%	100%	100%	100%	100%	100%
Singapore	100%	100%	100%	67%	100%	100%	100%	67%
Pacific island countries and areas	100%	92%	100%	100%	100%	100%	100%	100%
Cambodia	100%	100%	100%	100%	100%	100%	100%	100%
China	100%	100%	100%	100%	100%	100%	100%	100%
Indonesia	50%	67%	0%	0%	100%	67%	0%	0%
Lao People's Democratic Republic	100%	100%	100%	100%	100%	100%	100%	100%
Malaysia	100%	100%	100%	67%	100%	100%	100%	100%
Mongolia	100%	100%	100%	100%	100%	100%	100%	100%
Papua New Guinea	100%	100%	100%	100%	100%	100%	100%	100%
Philippines	75%	42%	100%	33%	100%	92%	100%	100%
Viet Nam	33%	33%	0%	0%	33%	33%	0%	0%
Western Pacific Region	95%	91%	89%	83%	89%	85%	89%	87%

<sup>1</sup> National measles and rubella surveillance and laboratory monthly reports to the Western Pacific Regional Office by 10 April 2026

<sup>2</sup> Completeness is defined as the total number of reports WHO received by the end of the reporting month divided by the number of expected reports for the year

<sup>3</sup> Monthly reports should be submitted by the 10th (or the next working day) of the following month; Pacific island countries and areas and China may report by the 15th (or the next working day) of the following month

**Figure 4. Measles cases and immunization coverage, Western Pacific Region, 1990–2024**



Source: WHO-UNICEF Electronic Joint Reporting Form

**Vaccine-Preventable Diseases and Immunization  
Regional Office for the Western Pacific  
World Health Organization**

P.O. Box 2932, 1000 Manila, Philippines  
Tel. No. (63 2) 85288001

Fax No. (63 2) 85211036, 85260279

Please send your comments and monthly data before the 10th of the month to: [WPROEPIdata@who.int](mailto:WPROEPIdata@who.int)  
More detailed information available in the  
Regional and country profile of measles elimination